

Knowledge grows

Pear Crop Nutrition Soil Applied and Foliar Programme

| Kilowtedge glows | Con Approa and Fordi Frogrammo | | | | | | |
|--|---|-----------------------|--------------------|--|---|-------------------|----------------------------------|
| | | | | | | | |
| Growth Stage | Bud Burst | White Bud | Start of Flowering | Petal Fall | Fruit Set | Fruit Development | Post Harvest pre leaf fall |
| YaraLiva [™] | TROPICOTE 150 - 250 Kg/ha | | | TROPICOTE 250 kg/ha | | | TROPICOTE 250 - 400 kg/ha |
| YaraVita [™] | ZINTRAC 700 1 - 2 l/ha | BORTRAC 150 1 l/ha | | BORTRAC 150 1 l/ha | STOPIT 10 I/ha x 5 appl'n 7-14 day intervals with final appl'n 7 days before harvest | | ZINTRAC 700 1 - 2 I/ha |
| YaraVita [™] | BUD BUILDER 10 l/ha | | | SENIPHOS 10 l/ha 5 - 8 applications at 10 day intervals | | | BORTRAC 150 1 l/ha |
| YaraVita [™] | | | | MANTRAC PRO 1 l/ha | MAGFLO 300 4 l/ha | | BUD BUILDER 10 l/ha |
| YaraVita [™] | FERLEAF 100 1 l/ha | | | FERLEAF 100 1 l/ha | | | |
| Analytical Tools | Water and Substrate Analysis - to identify limiting nutrients | | | Tissue Analysis - to identify limiting nutrients or deficiencies | | | |
| Read label before application of any YaraVita product Soil applied products Foliar applied products Analytical tools | | | | | | | |

Yara UK Ltd, Harvest House, Europarc, Grimsby, North East Lincolnshire, DN37 9TZ. Email:agronomy.uk@yara.com

Recommendations are based on Yara's field experience and field trial results

Disclaimer: The information contained herein is to the best of Yara's knowledge and belief, accurate.

Recommendations may need to be amended to ensure they comply with NVZ Nmax calculations where relevant.